P.O. Box 20 06 04 - 42206 Wuppertal / Germany
Rosenthalstrasse 22 · D-42369 Wuppertal / Germany
Fon +49 -0- 202 317559-10 | Fax +49 -0 -202 870884-03 | info@syskem.de

Product Specification Pentaerythritoltetracaprylate/caprate
CAS No. : 68441-68-9 + 85586-24-9

Chemical name :	Pentaerythritoltetracaprylate/caprate
chemical name :	Pentaerythritol Ester
Appearance :	yellowish liquid
Acid value :	max. 0,3 mg KOH/g
viscosity 20 °C :	67-74 mm2 / s
Moisture :	max. 0,1 %
Density :	ca. 0,96
Packing :	ibc, drums, customized packaging

Einecs :	270-472-2+287-827-2
CAS No. :	68441-68-9 + 85586-24-9
Synonym :	Pentaerythrittetracarbonsäure(C5-C18)ester, C8C10-Tetraester mit Pentaerythritol
General informations :	We fill pentaerythritol tetracaprylate/caprate for our customers in customized packaging These packaging range from 100ml bottles to 5-25ltr canisters and 1000ltr IBCs. Simplify your processes by letting us mix pentaerythritol tetracaprylate/caprate with other components according to your formulations and fill it into the packaging you specify! In order to guarantee a short-term and reliable supply of pentaerythritol tetracaprylate/caprate, we have agreed minimum quantities with our customers, which we then keep in stock. We would be glad to do this for you too. The quality of pentaerythritol tetracaprylate/caprate is regularly tested in our laboratory.

Application :	Alkyd Paints: Pentaerythritoltetracaprylat/caprat is used in the production of alkyd paints, which are commonly used in the automotive and construction industries. Alkyd Inks: It is also utilized in the manufacturing of alkyd inks, which are used in printing applications. Plasticizers: Pentaerythritoltetracaprylat/caprat is employed as a plasticizer in various industries, including automotive, wire and cable, and construction. Lubricants: It is used in the synthesis of synthetic lubricants, which find applications in automotive and industrial machinery. Adhesives and Sealants: Pentaerythritoltetracaprylat/caprat is used in the production of adhesives and sealants, particularly in the construction sector. Coatings: It is utilized in the production of high-quality surface coatings, including marine coatings, automotive coatings, and radiation cure coatings.
Product categories :	,

Version: 2026-05-28 16:20:01

This data is only for your information purposes and does not imply a guarantee for a certain application.