

P.O. Box 20 06 04 - 42206 Wuppertal / Germany  
Brucknerweg 26 · D-42289 Wuppertal / Germany  
Fon +49 -0- 202 309995-0 | Fax +49 -0 -202 870884-03 | info@syskem.de

## Product Specification Tripropylene glycol monomethyl ether, TPM CAS No. : 25498-49-1



<b>Chemical name :</b>	Tripropylene glycol monomethyl ether, TPM
<b>chemical name :</b>	Tripropylene glycol monomethyl ether, TPM
<b>Appearance :</b>	colourless liquid
<b>assay :</b>	min. 97,5 %
<b>Moisture :</b>	max. 0,2 %
<b>Density :</b>	0,96-0,97
<b>Packing :</b>	drums, IBC
<b>Einecs :</b>	247-045-4

<b>CAS No. :</b>	25498-49-1
<b>WGK :</b>	1
<b>Other :</b>	Colour: max. 15 APHA
<b>General informations :</b>	SysKem Chemie GmbH fills tripropylene glycol monomethyl ether, TPM into containers according to individual customer requirements and ensures that our products meet the defined specifications through regular quality controls in our laboratory.
<b>Application :</b>	<p>Paints and coatings: TPM can be used as a solvent and thinner in paint and coating formulations.</p> <p>Printing inks: It is used as a component of printing inks to control viscosity and improve print quality.</p> <p>Electronics: TPM can be used in the electronics industry as a solvent for the manufacture of printed circuit boards.</p> <p>Cleaning products: It can be used in cleaning products to remove grease and oil.</p>
<b>Product categories :</b>	alcohols,

Version: 2024-03-13 10:14:50

This data is only for your information purposes and does not imply a guarantee for a certain application.